

APPLICATION FOR UNITED STATES PATENT

in the name of

Jim Paul Haughwout

of

AOL

for

Smart Transfer

70675-144001

W. Karl Renner

Fish & Richardson P.C.

601 Thirteenth Street, NW

Washington, DC 20005

Tel.: (202) 783-5070

Fax: (202) 783-2331

ATTORNEY DOCKET:

06975-144001

Smart Transfer

This application claims priority from U.S. Provisional Application No. 60/233,637 titled "Smart Transfer" and filed September 18, 2000, which is incorporated by reference.

TECHNICAL FIELD

This invention relates to selecting a sales pitch for a telephone caller.

BACKGROUND

Advances in information technology have enhanced the ability of organizations to effectively offer services through telephone call centers. At the same time, the volume of individuals wishing to interact with various organizations has motivated those organizations to channel incoming calls through new or expanded telephone call centers. As a result, the number of incoming calls seeking information or assistance from telephone call centers has increased significantly. These incoming calls represent a financial opportunity on which the telephone call centers of many organizations strive to capitalize by marketing various services and products to their callers during incoming calls.

SUMMARY

In one general aspect, a first sales pitch appropriate for a particular telephone caller is selected by receiving a call from a caller, accessing information about the caller based on information gathered about the caller prior to the call, and automatically selecting a first sales pitch for the caller based upon the information accessed about the caller.

Implementations may include one or more of the following features. For example, the first sales pitch may be selected automatically only when the information accessed about the caller indicates that the caller satisfies certain predetermined criteria. For example, a sales pitch may not be selected for a caller where the information accessed about the caller indicates an unsatisfactory credit status, or a caller preference to not receive any sales pitches. Moreover, a sales pitch may be made unavailable for selection for a caller based upon a geographic region of residence of the caller that is indicated in the information accessed about the caller.

Accessing information about the caller may include acquiring and storing information about the caller before receiving the call from the caller. Information also may be assessed automatically upon receiving the call from the caller.

The information accessed about the caller may include historical information based on the caller's responses to past sales pitch offers. For example, the selected first sales pitch may be presented to the caller and information reflecting a response of the caller to the first sales pitch may be acquired and stored as part of the information about the caller. The acquisition and storage of the information reflecting the response of the caller may occur immediately after the caller provides the response to the first sales pitch.

The information about the caller also may include, for example, information regarding enrollment by the caller in products or services offered by a commercial partner, or a name, an address, or a telephone number associated with the caller. Other examples include a credit status of the caller and or information concerning a preference of the caller with respect to sales pitches.

The first sales pitch may be selected automatically, for example, by automatically determining a pool of available sales pitches for the caller including all sales pitches for which the caller has not been indicated ineligible by the information accessed about the caller. A sales pitch may be randomly selected from the available pool. If the information accessed about the caller indicates that the caller is ineligible for the sales pitch, the sales pitch is removed from the pool of available sales pitches and another sales pitch is randomly selected. This process may be continued until random selection results in a sales pitch (e.g., the first sales pitch) for which the information about the caller indicates the caller is eligible.

An equal or uniform probability of selection may attach to each sales pitch in the pool of available sales pitches. Alternatively, the probability of selection may be non-uniform. For example, the pool of available sales pitches may include sub-pools of available sales pitches. Each sub-pool may be associated with a different probability defining the likelihood that a sales pitch will be selected from the sub-pool of sales pitches in a given random selection.

Automatically selecting the first sales pitch also may include automatically determining a pool of available sales pitches for the caller that includes only those sales pitches for which the caller is eligible as indicated by the information accessed about the

caller. The first sales pitch may be randomly selected from the pool of available sales pitches.

Alternatively, for example, the first sales pitch may be automatically selected by automatically comparing the information accessed about the caller to a sales pitch profile associated with a sales pitch to generate a comparison result. A sales pitch profile having an acceptable comparison result may be identified and a sales pitch associated with the sales pitch profile may be selected as the first sales pitch.

Automatically selecting the first sales pitch also may include accessing a stored relationship between products and services of one commercial partner to sales pitches corresponding to products and services of another commercial partner.

A second sales pitch may be selected for the caller immediately after the caller provides the response to the first sales pitch. The second sales pitch may be selected automatically based upon the information accessed about the caller including the information reflecting the response of the caller to the first sales pitch.

The caller also may be transferred to a commercial partner after the caller provides a response to the first sales pitch. In such a case, information accessed about the caller may be communicated to the commercial partner substantially in real time. The communicated information about the caller may include, for example, a name, an address, and a telephone number associated with the caller as well as information regarding the response of the caller to the first sales pitch presented to the caller.

The commercial partner to which the caller is transferred may provide a good or service that corresponds to the selected first sales pitch and may provide a second sales pitch to the caller. Feedback may be received from the commercial partner regarding a response of the caller to the second sales pitch and may be stored as part of the information accessed about the caller. The commercial partner may provide the feedback almost immediately after receiving the response of the caller to the second sales pitch.

These general and specific aspects may be implemented using a method, a system, or a computer program, or any combination of systems, methods, and computer programs.

Other features and advantages will be apparent from the description, the drawings, and the claims.

DESCRIPTION OF DRAWINGS

Fig. 1 is a schematic diagram of a system configured to select automatically an acceptable sales pitch for a caller.

Fig. 2 is a schematic flow diagram illustrating a systematic process implementable by the system of Fig. 1 for selecting automatically an acceptable sales pitch for a caller.

Fig. 3 is a table illustrating examples of caller information accessed in the process of Fig. 2.

Fig. 4 is a schematic flow diagram illustrating the use of basic call data to access the caller information as provided generally in Fig. 2.

Fig. 5 is a schematic flow diagram illustrating a random selection process that may be used to select an acceptable sales pitch as provided generally in Fig. 2.

Fig. 6 is a schematic flow diagram illustrating a process of comparing caller information with sales pitch profiles to select an acceptable sales pitch as provided generally in Fig. 2.

Figs. 7A and 7B are tables illustrating a sample of non-mutually exclusive sales pitch profiles and their relationship to caller information such as the caller information illustrated by Fig. 3.

Fig. 8 is a table illustrating a process for calculating a profile correlation value that may be used in implementing the process of Fig. 6.

Fig. 9 is a table illustrating a sales pitch look-up table that may be used in implementing the process of Fig. 6.

Fig. 10 is a table illustrating sales pitches that may be accessed using the look-up table of Fig. 9 and also a probability distribution associated with the selection of the sales pitches.

Fig. 11 is a schematic flow diagram illustrating a process of recording the response of a caller to a sales pitch as provided in the process of Fig. 2.

Fig. 12 is a schematic flow diagram illustrating a process for acting upon the response of a caller to the sales pitch as provided in the process of Fig. 2, where the caller's response is a positive response to an offer to transfer the caller to a commercial partner for a detailed product or service offer.

Like reference symbols in the various drawings indicate like elements.

DETAILED DESCRIPTION

For illustrative purposes, a process is described for selecting a sales pitch for an incoming caller, and systems and software for implementing the process also are described. For clarity of exposition, the description proceeds from an account of general elements of the process, systems implementing the process, and their high level relationship, to a detailed account of illustrative roles, configurations, and components of the elements.

Referring to Fig. 1, a generalized system 100 may be used to select and present an appropriate sales pitch to a telephone caller 101. The exemplary components of the system 100 are described in greater detail below.

The system 100 of Fig. 1 may include a first call center 105 and a commercial partner call center 110. The call centers 105, 110 may be configured to communicate over a telephone network 115 and to receive calls through the telephone network 115 such as, for example, calls from the caller 101. The first call center 105 and the commercial partner call center 110 also may be configured to communicate over a computer network 120 with a smart transfer server 125. The smart transfer server 125 may be arranged to communicate with databases 130 and 140 that contain basic account information (database 130) and associated information (databases 140) about the caller 101.

The first call center 105 is capable of receiving both voice and other data through a wired or wireless communication pathway 150 to the telephone network 115. The first call center 105 may include at least one smart transfer client 155 structured and arranged to receive the voice data 160 or the other data 165. The smart transfer client 155 also may include one or more voice communications devices 170 arranged to receive voice communications by way of a voice data pathway. To receive other data, the smart transfer client 155 also may include one or more general-purpose or special-purpose computers (e.g., personal computer 175, personal digital assistants (PDAs), or devices specifically programmed to perform certain tasks such as, for example, communicating with each other and/or the telephone network), or a combination of one or more of these devices. One or more other systems may be included in the smart transfer client 155. For example, the smart transfer client 155 may include one or more Local Area Networks (LANs) and/or one or more Wide Area Networks (WANs). The smart transfer client 155 also may be included as part of another system. Software applications loaded on the smart transfer client 155 may be

used to control the response to and execution of instructions received by the smart transfer client 155. Alternatively, or in addition, the response to and execution of instructions received by the smart transfer device 155 may be controlled by, for example, a program, a piece of code, an instruction, a device, a computer system, or a combination thereof, for independently or collectively instructing the smart transfer client 155 to interact and operate as described herein.

The voice communications devices 170 included in the first call center 105 may typically include one or more hardware components and/or software components. Examples of voice communications devices 170 include an analog, a digital, or a cellular telephone, whether wired or wireless, a program, a piece of code, an instruction, a device, a computer, a computer system, or a combination thereof, for independently or collectively sending or receiving voice communications. Implementations of voice communications devices 170 may exist permanently or temporarily in any type of machine, component, physical or virtual equipment, storage medium, or propagated signal capable of sending or receiving voice communications.

The commercial partner call center 110 may be configured in a manner similar to the first call center 105.

Either or both of the telephone network 115 and the computer network 120 may be structured and configured to provide computer telephone integration (CTI) so that voice and/or other data may be communicated over the networks 115, 120. The networks 115, 120 typically allow direct or indirect communication between parties, irrespective of physical separation. The networks 115, 120 may include various mechanisms for delivering voice and/or other data, such as, for example, analog or digital wired and wireless telephone networks, e.g., public switched telephone networks (PSTN), integrated services digital networks (ISDN), all types of digital subscriber lines (xDSL), advance mobile telephone service (AMPS), global system for mobile communications (GSM), or code division multiple access (CDMA). The networks 115, 120 also may include the Internet, the World Wide Web, one or more local area networks (LANs) and/or one or more wide area networks (WANs), radio, cable, satellite, and/or any other delivery mechanism for carrying voice or other data.

The smart transfer server 125 typically is configured to communicate and function together with at least one smart transfer client, e.g., smart transfer client 155. The smart transfer server 125 may include one or more hardware components and/or software components. For example, the smart transfer server 125 may include a general purpose computer (e.g., a personal computer, server, or workstation) capable of responding to and executing instructions in a defined manner. Other examples include a special-purpose computer, a device, a component, other physical or virtual equipment or some combination thereof capable of responding to and executing instructions. The response to and execution of instructions by the smart transfer server 125 may be controlled by a software application loaded on the smart transfer server 125, or, for example, by a program, a piece of code, an instruction, a device, a computer system, or a combination thereof, for independently or collectively instructing the smart transfer server 125 to interact and operate as described herein.

The smart transfer server 125 and the smart transfer client 155 typically include a communication device (not shown) for sending and/or receiving data from the computer network 120. One example of the communication device is a modem. Other examples include a transceiver, a set-top box, a communications card, a satellite dish, an antenna, or another network adapter capable of transmitting data to and/or receiving data from the computer network 120 through a wired or wireless pathway.

The smart transfer server 125 typically is configured to communicate with internal and/or external storage media 180 for storing data and programs. The storage media 180 may include electrical, magnetic, and/or optical storage media. The storage media 180 typically store sales pitches, sales pitch profiles, and/or a random selection list of available sales pitches 195. The sales pitch profiles and the random selection list both may be used to select a sales pitch, for example, using processes described in greater detail with respect to Figs. 2, 5 and 6.

The smart transfer server 125 is configured and arranged to communicate with at least one first database 130 and at least one second database 140. The first database 130 may be, for example, a relational database, used to store and provide access to basic account information associated with the caller 101. The second database 140 also may be a relational database. The second database 140 generally stores and enables access to information about

the caller 101 that is associated with the basic account information. The databases 130 and 140 and the information that they contain, e.g., basic account information and associated information, may reside at any appropriate location (e.g., local location, remote location, third party location), and also may reside on any appropriate storage medium 180 such as, for example, a magnetic disc array, or an optical disk array. These databases 130 and 140 may be contained in a single physical or logical structure, or they may be physically or logically distinct. Additionally, databases 130 and 140 may each form a single database or several interconnected or accessible databases.

Referring to Fig. 2, a process 200 for selecting a sales pitch for an incoming caller 101 may, be implemented by, for example, the system of Fig. 1. When a call is received (step 205), basic call data associated with the call are identified (step 210). Basic call data may include, for example, a name associated with the caller 101, a telephone number associated with the caller 101, and/or a geographic location of the caller 101. The call and the associated basic call data are routed to a call center (step 215), where stored information about the caller 101 is accessed automatically based on the associated basic call data (step 220), as discussed in detail with respect to Fig. 4.

The stored information about the caller 101 then is used to determine an appropriate subsequent action (step 225). If, for example, the stored information about the caller 101 fails to satisfy predetermined criteria, then no sales pitch is automatically selected for the caller 101 using this process (step 230). However, a sales pitch is automatically selected for the caller 101 using the stored information about the caller 101 (step 235) if the stored information about the caller 101 satisfies the predetermined criteria, as discussed in more detail with respect to Figs. 5-8.

The selected sales pitch is displayed at the call center and presented to the caller 101 (step 240). The call center receives a response of the caller 101 to the sales pitch (step 245) and information associated with the caller's response to the sales pitch is recorded as part of the stored information about the caller (step 250). The information associated with the caller's response may be recorded substantially in real time (step 250), for example, after receiving the response of the caller (step 245) but before the response is acted upon (step 255) or the telephone call is terminated. Alternatively, the information associated with the caller's response may be recorded immediately after the response has been received and

acted upon (this alternative order of events is not shown in Fig. 2). Either case may be contrasted against the delayed batching of accumulated information associated with the responses of a significant numbers of callers. The process described is repeated, beginning at step 225, until the updated stored information about the caller does not satisfy the predetermined criteria and the sales pitch selection process 200 is exited (step 230).

Referring to Fig. 3, the information about the caller 300 may include basic account information 300A related to an account of the caller. The basic account information 300A may include, for example, the caller's account type 305 (e.g., Gold, Platinum, overhead, normal, internal), account status 310 (e.g., AAA, AAA+, active, canceled, terminated, delinquent), and payment method 315 (e.g., credit, check, prepaid). The basic account information 300A may be related to a screen name of the caller and may be stored, referring to Fig. 1, in a first database 130.

Referring back to Fig. 3, the information about the caller 300 may include other information 300B associated with the basic account information 300A that may be stored in at least one second database 140. The associated information 300B may include caller preference information 320, such as, for example, information indicating that the caller 101 has no sales pitch preference 322 or that the caller 101 prefers not to receive any sales pitches 329. The caller preference information 320 also may include information 324 indicating that the caller 101 prefers to be presented a particular pitch, previously offered but which the caller 101 was unable to receive at the time of the offer. Additionally, the caller preference information 320 may include information 326 indicating that the caller 101 prefers sales pitches relating to a particular service or product provider's offers, or information 328 indicating that the caller 101 prefers not to receive sales pitches relating to a particular service or product provider's offers. Moreover, the associated information may include historical information 330, such as historical information 332 related to which sales pitches have been presented to the caller 101, the time at which they were presented, and the caller's response to them. The historical information 330 also may include information 334 regarding past services or products purchased from the pitch presenter or its commercial partners, and a listing 336 of services or products offered by the pitch presenter or its commercial partners in which the caller is currently enrolled, whether or not as a result of a sales pitch. Furthermore, the historical information may include information 338 regarding

past misbehavior of the caller, such as, for example, information that the caller has behaved belligerently toward a call center operator, information that the caller has behaved illegally (e.g., with respect to a pitched or subscribed product or service), and/or information that the caller has violated a terms of service (TOS) agreement associated with the caller's account.

5 The associated information also may include a credit status 340 of the caller and demographic information 350 related to the caller. The demographic information 350 related to the caller 101 may include, for example, the sex 351, age 352, marital status 353, place of residence 354, avocation 355, and profession 356 of the caller 101.

10 Fig. 4 illustrates a process 220 for automatically accessing information about the caller 300. A screen name associated with the caller 101 may be accessed using the basic call data (step 405). The screen name may be provided to the smart transfer client (e.g., 155 of Fig. 1) (step 410), which may pass the screen name to the smart transfer server (e.g., 125 of Fig. 1) through the network (e.g., 120 of Fig. 1) (step 415). The smart transfer server 125 may use the screen name to access basic account information 300A associated with the screen name from a first database (e.g., 130 of Fig. 1) (step 420). The smart transfer server 125 then may use the accessed basic account information 300A to access the associated information 300B about the caller 101 stored in at least one second database (e.g., 140 of Fig. 1) (step 425). The associated information 300B may include information stored by a third party to the transaction, such as, for example, referring to Fig. 3, a credit status 340 stored by a credit checking agency. The smart transfer server 125 then may return the basic account information 300A and the associated information 300B to the smart transfer client 155 as the information about the caller (step 430).

25 Figs. 5 and 6 illustrate examples of a process 235 for implementing a process for using the caller information 300 to determine a sales pitch, which process 235 also may be generally applicable to step 1230 of Fig. 12. The smart transfer server 125 may use the accessed information about the caller to determine an acceptable sales pitch by, for example, performing a random sales pitch selection as discussed in relation to Fig. 5, or by performing a comparison to sales pitch profiles as discussed in relation to Fig. 6. It also is possible that the smart transfer server 125 will not access information about the caller, for example, where
30 no data is available about the caller. In such a situation, the first sales pitch may include an offer to subscribe to a default or basic service or product.

Referring to Fig. 5, one process for determining an acceptable sales pitch is described as the random selection process 235. When the caller information 300 indicates that the caller 101 does not wish to receive any sales pitches, that the caller 101 is located outside of, for example, the United States of America, and/or that the caller has misbehaved (step 505), no pitch may be presented to the caller (step 510). Otherwise, a default random selection list may be initialized to list all available sales pitches and an initial probability distribution may be assigned to the random selection list (step 515). For example, a uniform probability distribution may be assigned such that an equal likelihood of selection exists for each sales pitch of the random selection list. Alternatively, a non-uniform probability distribution may be assigned such that certain sales pitches or groups of sales pitches have a greater or lesser likelihood of selection from the random selection list (this also is illustrated with respect to Fig. 10). For example, a probability distribution may be assigned to the random selection list to provide that internal sales pitches will be selected 25% of the time, that sales pitches corresponding to commercial partner A will be selected 35% of the time, that sales pitches corresponding to commercial partner B will be selected 30% of the time, and that sales pitches corresponding to commercial partner C will be selected 10% of the time. In like manner, a uniform or non-uniform probability distribution also may be assigned to the sales pitches associated with commercial partner A. Following initialization, a random selection is made from the random selection list using the assigned probability distribution (step 520).

The random selection is compared to the information about the caller (step 525). If the comparison indicates that the random selection is appropriate for the caller 101 (step 525), then the random selection is returned as the selected sales pitch (step 530). A random selection might, for example, be deemed inappropriate for the caller 101 where the random selection is related to an offer of commercial partner A and the caller information indicates a caller preference to not receive sales pitches related to offers of commercial partner A. The random selection also might be inappropriate for the caller where the random selection is related to an offer of commercial partner A and the caller currently is enrolled in a product of commercial partner B, a competitor of commercial partner A. If the comparison indicates that the random selection is inappropriate (step 525), then the random selection list is modified to prevent repeat selection of the inappropriate random selection (step 535). The list also may be modified to prevent the random selection of other similarly inappropriate

sales pitches. For example, all sales pitches related to offers of commercial partner A may be eliminated from selection when one sales pitch is determined inappropriate because of its relation to offers of commercial partner A. Following modification of the random selection list (step 535), another random selection may be made (step 520) if the random selection list is not exhausted of available sales pitches (step 540). The process may be repeated until a qualified random selection is returned to the smart transfer client 155 as a selected sales pitch (step 530), or until the random selection list is exhausted and the sales pitch selection process is exited with no pitch (step 510).

Referring to Fig. 6, an alternative process 235 for determining an acceptable sales pitch produces a comparison result by comparing the caller information 300 against stored sales pitch profiles 610 that are associated with sales pitches 615 (step 605). The comparison may be performed for each sales pitch profile 610 or selected sales pitch profiles 610. Based upon the comparison results, one or more sales pitch profiles 610 with acceptable comparison results are identified (step 620), and one or more sales pitches 615 associated with the identified sales pitch profiles are selected (step 625) and returned to the smart transfer client 155 (step 630).

Figs. 7A and 7B illustrate two different sales pitch profiles that share a common form. For ease of description, aspects of the sales pitch profile of Fig. 7A are described in detail and a description of corresponding aspects of the sales pitch profile of Fig. 7B is omitted for brevity.

Referring to Fig. 7A, a sales pitch profile 700A includes, by way of example, different match criterion 705A that correspond to data-fields 710A in the caller information 300. As part of identifying a sales pitch profile (e.g., steps 605 and 620 of Fig. 6), The smart transfer server 125 compares the caller information 300 that is accessed in the caller information data-fields 710A against the respective match criteria 705A of the sales pitch profile 700A. An example of results 715A of the comparison is shown in the far right hand column of the table of Fig. 7A.

For example, the caller information data-field "method of payment" 720A may have an associated match criterion 725A indicating acceptance of a credit card as the method of payment. The caller information 730A accessed in the method of payment data-field 720A also shows that a credit card is the method of payment of the caller. Hence, the match

criterion 725A is satisfied and a match is indicated 735A. By contrast, referring to Fig. 7B, the match criterion 725B requires a check as the method of payment. The caller information 730B accessed in the method of payment data field 720B shows "credit card" to be the caller's method of payment such that the match criterion 725B is not satisfied and the unsatisfactory result is indicated 735B.

A sales pitch profile 610 may completely match the caller information (not shown). However, in Figs. 7A and 7B, only a partial match is achieved as shown in the data-field by data-field match fields 715A, 715B. Alternatively, there also may be a complete failure to match (not shown).

In one implementation (not shown), the caller information is used by the smart transfer server 125 to identify a completely matching sales pitch profile 610. In this implementation, the sales pitch profiles 610 are configured such that one and only one sales pitch profile 610 provides a complete match relative to the caller information 300. In a simplified example, the universe of possible callers may be divided by two sales pitch profiles into those whose method of payment is by credit card and those whose method of payment is by some other means. Thus configured, one, and only one, of the two sales pitch profiles may be satisfied, i.e., any match is an exclusive match.

In general, however, sales pitch profiles 610 need not be configured to ensure exclusive matches. The sales pitch profiles 700A and 700B of Figs. 7A and 7B are examples of profiles in which any match tends to be a matter of degree. In such an arrangement, a sales pitch profile 610 may be selected for a caller 101 through some mathematical comparison of, for example, various comparison results. A numerical value, also known as the profile correlation value, may be reduced from the match criteria, comparison results, or other criteria to enable such comparison.

Referring again to Fig. 6, a comparison result may include a profile correlation value that may be determined with respect to the caller information for each sales pitch profile (step 605). A sales pitch profile 610 with an acceptable, and perhaps best, profile correlation value is identified and used to identify a sales pitch 615 associated with the sales pitch profile 610 (step 620). A profile correlation value provides an indirect metric of the acceptability of a particular sales pitch 615 for presentation to the caller 101.

Referring to Fig. 8, the profile correlation value 805 may include a summation of weighted match values 810, where each match criterion 815 is used to produce an associated match value 820. The weighted match values 810, in turn, may include the result of the multiplication of a criterion weight 825 associated with a match criterion 815 by a match value 820 that may be "1" where the match criterion 815 is satisfied or by a number that may be "-1" where the match criterion 815 is not satisfied, for example. Also, a zero may be used for a criterion weight 825 when a match criterion 815 always will be satisfied because it is configured to include all possible callers, for example, the match criteria for sex 830 and avocation 835. To illustrate, with respect to the account status field 840, the match criterion 845 is assigned a criterion weight 850 of "2". However, the match criterion 845 is not satisfied by the caller information 855 accessed in the account status field 840. Therefore, the criterion weight 850 is multiplied by a match 860 value of "-1" to produce a weighted match value 865 of "-2". By contrast, with respect to the account type field 870, the match criterion 875 is assigned a criterion weight 880 of "1" and the match criterion 875 is satisfied by the caller information 883 accessed in the account type field 870. Therefore, the criterion weight 880 is multiplied by a match value 885 of "1" to produce a weighted match value 890 of "1". Furthermore, with respect to the avocation field 891, the match criteria 835 is specified as "any" such that a criteria weight 892 of zero is used to arrive at a weighted match value 893 of zero. A similar process is followed to arrive at a weighted match value 810 for each match criterion 815. All weighted match values 810 are then summed to arrive at a profile correlation value 805 of "-27."

The described weighting process of Fig. 8 provides a mechanism to emphasize one or more certain match criterion deemed important relative to other match criterion. Moreover, it may be desirable that the magnitude of a weighted match value differ depending upon whether a match was determined to exist. For example, it may be desirable that an appropriate weighted match value dominate a profile correlation value when a caller 101 is indicated as preferring to receive no sales pitches and/or has a history of misbehavior. However, when a caller 101 is indicated as having no preference regarding sales pitches, and/or has no history of misbehavior, it is unlikely to be equally desirable that the appropriate weighted match value dominate the final profile correlation value. Examining caller preference by way of illustration, the match value 894 corresponding to a failed match for the

caller preference data-field 895 may be set at an appropriate scaling value, such as, for example, “-1”, in combination with a high value, such as, for example, “20”, for the corresponding criterion weight 896 to produce a weighted match value 897 of “-20” designed to have a dominating effect upon the profile correlation value 805. It may be desirable to avoid a similar dominating effect when the caller 101 prefers to receive at least some sales pitches. In that case, the match value 894 may be assigned an appropriate scaling value such as, for example, zero or a very small positive non-zero value (not shown).

Once a sales pitch profile is identified, the sales pitch profile may be used to index a sales pitch look-up table 900, as shown in Fig. 9, that associates sales pitches 615 with the sales pitch profiles 610.

Fig. 10 illustrates five sales pitches 1005, 1010, 1015, 1020, and 1025 that may be accessed using the sales pitch look-up table of Fig. 9. The five sales pitches generally are similar. Sales pitch 1005 is a sales pitch used to pitch a product or service offered by the pitch presenter. The sales pitches 1010, 1015, 1020, and 1025 are used to pitch the products or services of commercial partners (e.g., partner A, partner B, partner C).

Fig. 11 illustrates a process 250 for recording the response of the caller to the sales pitch, which process 250 also may be generally applicable to step 1245 of Fig. 12. After receiving the response of the caller, the smart transfer client 155 may generate a feedback message containing information related to the response of the caller (step 1105). The smart transfer client 155 then may communicate the feedback message to the smart transfer server 125 through the network 120 (step 1110). The smart transfer server 125 may update the first and second databases 130 and 140 using the information in the feedback message (step 1115).

Fig. 12 illustrates, by way of example, a process 255 for acting upon a positive response of the caller to such a sales pitch. The particular course taken in acting upon the response of a caller to a sales pitch may depend upon the nature of the sales pitch presented to the caller. For example, a sales pitch may include an offer to sell a product or provide a service. The offeror may act upon the response of the caller by signing up the caller 101 for the product or service where the caller’s response indicates interest in the product or service. Where the caller 101 expresses a lack of interest in the product or service, no substantive action may be taken. A sales pitch also may include an offer to transfer the caller 101 to a

commercial partner for a detailed offer about a product or service offered by the commercial partner (referred to hereinafter as a transfer sales pitch).

Initially, the smart transfer client 155 of the first call center 105 requests the telephone network 115 to transfer an incoming call to a smart transfer client 112 of the commercial partner 110 (CP smart transfer client) (step 1205). Upon receiving the transfer request, the telephone network 115 transfers the call to the CP smart transfer client 112 (step 1210). As part of the transfer of the call, a caller information key (not shown) may be communicated from the smart transfer client 155 to the CP smart transfer client 112. The CP smart transfer client 112 may access the stored caller information that includes information regarding the transfer sales pitch (step 1215), e.g., using the caller information key. The stored information about the caller is used to determine what further action to take (step 1215). If, for example, the stored information about the caller fails to satisfy predetermined criteria (step 1220), it is possible that no sales pitch will be selected for the caller (step 1225). However, if the stored information about the caller satisfies the predetermined criteria (step 1220), the stored information about the caller may be used to automatically select a sales pitch for the caller (step 1230).

Typically, the information regarding the caller is used to select a sales pitch associated with the transfer sales pitch. The selected sales pitch may then be displayed at the call center and presented to the caller (step 1235). The call center receives a response of the caller to the sales pitch (step 1240) and information associated with the response of the caller to the sales pitch is recorded as part of the stored information about the caller (step 1245). The recording of the information associated with the response of the caller (step 1245) may occur in near real time, for example, after receiving the response of the caller (step 1240) but before the response is acted upon (step 1250) or the telephone call is terminated, or, alternatively, immediately after the response is acted upon (step 1250). This is in contrast to the delayed batching of accumulated information associated with the responses of a significant numbers of callers. After the response is acted upon, process 255 is repeated, beginning at step 1220, until the updated stored information about the caller does not satisfy the predetermined criteria such that another different pitch is not selected for the caller (step 1225).

5

1. 1. The first part of the report
 2. 2. The second part of the report
 3. 3. The third part of the report
 4. 4. The fourth part of the report
 5. 5. The fifth part of the report
 6. 6. The sixth part of the report
 7. 7. The seventh part of the report
 8. 8. The eighth part of the report
 9. 9. The ninth part of the report
 10. 10. The tenth part of the report
 11. 11. The eleventh part of the report
 12. 12. The twelfth part of the report
 13. 13. The thirteenth part of the report
 14. 14. The fourteenth part of the report
 15. 15. The fifteenth part of the report
 16. 16. The sixteenth part of the report
 17. 17. The seventeenth part of the report
 18. 18. The eighteenth part of the report
 19. 19. The nineteenth part of the report
 20. 20. The twentieth part of the report
 21. 21. The twenty-first part of the report
 22. 22. The twenty-second part of the report
 23. 23. The twenty-third part of the report
 24. 24. The twenty-fourth part of the report
 25. 25. The twenty-fifth part of the report
 26. 26. The twenty-sixth part of the report
 27. 27. The twenty-seventh part of the report
 28. 28. The twenty-eighth part of the report
 29. 29. The twenty-ninth part of the report
 30. 30. The thirtieth part of the report
 31. 31. The thirty-first part of the report
 32. 32. The thirty-second part of the report
 33. 33. The thirty-third part of the report
 34. 34. The thirty-fourth part of the report
 35. 35. The thirty-fifth part of the report
 36. 36. The thirty-sixth part of the report
 37. 37. The thirty-seventh part of the report
 38. 38. The thirty-eighth part of the report
 39. 39. The thirty-ninth part of the report
 40. 40. The fortieth part of the report
 41. 41. The forty-first part of the report
 42. 42. The forty-second part of the report
 43. 43. The forty-third part of the report
 44. 44. The forty-fourth part of the report
 45. 45. The forty-fifth part of the report
 46. 46. The forty-sixth part of the report
 47. 47. The forty-seventh part of the report
 48. 48. The forty-eighth part of the report
 49. 49. The forty-ninth part of the report
 50. 50. The fiftieth part of the report
 51. 51. The fifty-first part of the report
 52. 52. The fifty-second part of the report
 53. 53. The fifty-third part of the report
 54. 54. The fifty-fourth part of the report
 55. 55. The fifty-fifth part of the report
 56. 56. The fifty-sixth part of the report
 57. 57. The fifty-seventh part of the report
 58. 58. The fifty-eighth part of the report
 59. 59. The fifty-ninth part of the report
 60. 60. The sixtieth part of the report
 61. 61. The sixty-first part of the report
 62. 62. The sixty-second part of the report
 63. 63. The sixty-third part of the report
 64. 64. The sixty-fourth part of the report
 65. 65. The sixty-fifth part of the report
 66. 66. The sixty-sixth part of the report
 67. 67. The sixty-seventh part of the report
 68. 68. The sixty-eighth part of the report
 69. 69. The sixty-ninth part of the report
 70. 70. The seventieth part of the report
 71. 71. The seventy-first part of the report
 72. 72. The seventy-second part of the report
 73. 73. The seventy-third part of the report
 74. 74. The seventy-fourth part of the report
 75. 75. The seventy-fifth part of the report
 76. 76. The seventy-sixth part of the report
 77. 77. The seventy-seventh part of the report
 78. 78. The seventy-eighth part of the report
 79. 79. The seventy-ninth part of the report
 80. 80. The eightieth part of the report
 81. 81. The eighty-first part of the report
 82. 82. The eighty-second part of the report
 83. 83. The eighty-third part of the report
 84. 84. The eighty-fourth part of the report
 85. 85. The eighty-fifth part of the report
 86. 86. The eighty-sixth part of the report
 87. 87. The eighty-seventh part of the report
 88. 88. The eighty-eighth part of the report
 89. 89. The eighty-ninth part of the report
 90. 90. The ninetieth part of the report
 91. 91. The ninety-first part of the report
 92. 92. The ninety-second part of the report
 93. 93. The ninety-third part of the report
 94. 94. The ninety-fourth part of the report
 95. 95. The ninety-fifth part of the report
 96. 96. The ninety-sixth part of the report
 97. 97. The ninety-seventh part of the report
 98. 98. The ninety-eighth part of the report
 99. 99. The ninety-ninth part of the report
 100. 100. The hundredth part of the report